SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Alderson, Mark R. Goodwin, Raymond G. Smith, Craig A.
- (ii) TITLE OF INVENTION: Cytokine Designated 4-1BB Ligand And Human Receptor That Binds Thereto
- (iii) NUMBER OF SEQUENCES: 15
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Kathryn A. Seese, Immunex Corporation
 - (B) STREET: 51 University Street
 - (C) CITY: Seattle
 - (D) STATE: Washington
 - (E) COUNTRY: US
 - (F) ZIP: 98101
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Seese, Kathryn A.
 - (B) REGISTRATION NUMBER: 32,172
 - (C) REFERENCE/DOCKET NUMBER: 2801-WO
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (206) 587-0430
 - (B) TELEFAX: (206) 233-0644
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1254 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (vii) IMMEDIATE SOURCE:
 - (B) CLONE: murine 4-1BB-L

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 53..979

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: Propriete,													
AGCCTATAAA GCACGGGCAC TGGCGGGAGA CGTGCACTGA CCGACCGTGG TA ATG Met 1	55												
GAC CAG CAC ACA CTT GAT GTG GAG GAT ACC GCG GAT GCC AGA CAT CCA Asp Gln His Thr Leu Asp Val Glu Asp Thr Ala Asp Ala Arg His Pro 5	103												
GCA GGT ACT TCG TGC CCC TCG GAT GCG GCG CTC CTC AGA GAT ACC GGG Ala Gly Thr Ser Cys Pro Ser Asp Ala Ala Leu Leu Arg Asp Thr Gly 20 25 30	151												
CTC CTC GCG GAC GCT GCG CTC CTC TCA GAT ACT GTG CGC CCC ACA AAT Leu Leu Ala Asp Ala Ala Leu Leu Ser Asp Thr Val Arg Pro Thr Asn 35 40 45	199												
GCC GCG CTC CCC ACG GAT GCT GCC TAC CCT GCG GTT AAT GTT CGG GAT Ala Ala Leu Pro Thr Asp Ala Ala Tyr Pro Ala Val Asn Val Arg Asp 50 55 60 65	247												
CGC GAG GCC GCG TGG CCG CCT GCA CTG AAC TTC TGT TCC CGC CAC CCA Arg Glu Ala Ala Trp Pro Pro Ala Leu Asn Phe Cys Ser Arg His Pro 70 75 80	295												
AAG CTC TAT GGC CTA GTC GCT TTG GTT TTG CTG CTT CTG ATC GCC GCC Lys Leu Tyr Gly Leu Val Ala Leu Val Leu Leu Leu Ile Ala Ala 85 90 95	343												
TGT GTT CCT ATC TTC ACC CGC ACC GAG CCT CGG CCA GCG CTC ACA ATC Cys Val Pro Ile Phe Thr Arg Thr Glu Pro Arg Pro Ala Leu Thr Ile 100 105 110	391												
ACC ACC TCG CCC AAC CTG GGT ACC CGA GAG AAT AAT GCA GAC CAG GTC Thr Thr Ser Pro Asn Leu Gly Thr Arg Glu Asn Asn Ala Asp Gln Val 115	439												
ACC CCT GTT TCC CAC ATT GGC TGC CCC AAC ACT ACA CAA CAG GGC TCT Thr Pro Val Ser His Ile Gly Cys Pro Asn Thr Thr Gln Gln Gly Ser 130 145	487												
CCT GTG TTC GCC AAG CTA CTG GCT AAA AAC CAA GCA TCG TTG TGC AAT Pro Val Phe Ala Lys Leu Leu Ala Lys Asn Gln Ala Ser Leu Cys Asn 150 155 160	535												
ACA ACT CTG AAC TGG CAC AGC CAA GAT GGA GCT GGG AGC TCA TAC CTA Thr Thr Leu Asn Trp His Ser Gln Asp Gly Ala Gly Ser Ser Tyr Leu 165 170 175	583												
TCT CAA GGT CTG AGG TAC GAA GAA GAC AAA AAG GAG TTG GTG GTA GAC Ser Gln Gly Leu Arg Tyr Glu Glu Asp Lys Lys Glu Leu Val Val Asp 180 185 190	631												

						GTA Val 200										679
						AAG Lys										727
						GAT Asp										775
						ATG Met										823
	_					AAG Lys										871
						GCC Ala 280							_			919
						AGC Ser										967
	CCA Pro			TGAG	GAACI	TAT	CTTC	CTTG	rg ac	CTCC1	ragti	r GC:	raag:	rcct		1019
CAA	CTG	CTA ?	rgtt:	TAT	G GC	STCTO	SAGCA	GGC	GTC	CCTT	CCAT	GACI	TTT (CTCTT	GTCTT	1079
TAAC	CTGG	ACT :	rggtz	ATTTA	T T	CTGAC	GCATA	A GCT	rcag <i>i</i>	ACAA	GACT	CATT	TAT A	TTA	CACTAG	1139
ATA	GCAT:	rag :)AAA1	CTGC	rg go	CAG	CTGC	r AGA	KAATA	AAAA	CAAA	TTC	AA7	ATCA	AAGTTT	1199
ATA	TTA	TAT	TAAT	TATA	ia af	ATA	AATG	g GTI	TGT	TAAA	AAA	AAAA	AAA	KAAA/	Ą	1254

1 3

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 309 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

Met Asp Gln His Thr Leu Asp Val Glu Asp Thr Ala Asp Ala Arg His 1 5 10 15

Pro Ala Gly Thr Ser Cys Pro Ser Asp Ala Ala Leu Leu Arg Asp Thr 20 25 30

Gly Leu Leu Ala Asp Ala Ala Leu Leu Ser Asp Thr Val Arg Pro Thr 35 40 45

Asn Ala Ala Leu Pro Thr Asp Ala Ala Tyr Pro Ala Val Asn Val Arg Asp Arg Glu Ala Ala Trp Pro Pro Ala Leu Asn Phe Cys Ser Arg His Pro Lys Leu Tyr Gly Leu Val Ala Leu Val Leu Leu Leu Ile Ala Ala Cys Val Pro Ile Phe Thr Arg Thr Glu Pro Arg Pro Ala Leu Thr Ile Thr Thr Ser Pro Asn Leu Gly Thr Arg Glu Asn Asn Ala Asp Gln Val Thr Pro Val Ser His Ile Gly Cys Pro Asn Thr Thr Gln Gln Gly Ser Pro Val Phe Ala Lys Leu Leu Ala Lys Asn Gln Ala Ser Leu Cys 155 150 Asn Thr Thr Leu Asn Trp His Ser Gln Asp Gly Ala Gly Ser Ser Tyr 165 Leu Ser Gln Gly Leu Arg Tyr Glu Glu Asp Lys Lys Glu Leu Val Val Asp Ser Pro Gly Leu Tyr Tyr Val Phe Leu Glu Leu Lys Leu Ser Pro 200 Thr Phe Thr Asn Thr Gly His Lys Val Gln Gly Trp Val Ser Leu Val Leu Gln Ala Lys Pro Gln Val Asp Asp Phe Asp Asn Leu Ala Leu Thr 230 235 Val Glu Leu Phe Pro Cys Ser Met Glu Asn Lys Leu Val Asp Arg Ser 250 Trp Ser Gln Leu Leu Leu Lys Ala Gly His Arg Leu Ser Val Gly Leu Arg Ala Tyr Leu His Gly Ala Gln Asp Ala Tyr Arg Asp Trp Glu Leu Ser Tyr Pro Asn Thr Thr Ser Phe Gly Leu Phe Leu Val Lys Pro

Asp Asn Pro Trp Glu 305

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1619 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA
(iii) HYPOTHETICAL: NO

(vii) IMMEDIATE SOURCE:

(iv) ANTI-SENSE: NO

(B) CLONE: human 4-1BB-L(7A)

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 4..765

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:																
GTC	ATG Met 1	GAA Glu	TAC Tyr	GCC Ala	TCT Ser 5	GAC Asp	GCT Ala	TCA Ser	CTG Leu	GAC Asp 10	CCC Pro	GAA Glu	GCC Ala	CCG Pro	TGG Trp 15	48
CCT Pro	CCC Pro	GCG Ala	CCC Pro	CGC Arg 20	GCT Ala	CGC Arg	GCC Ala	TGC Cys	CGC Arg 25	GTA Val	CTG Leu	CCT Pro	TGG Trp	GCC Ala 30	CTG Leu	96
GTC Val	GCG Ala	GGG Gly	CTG Leu 35	CTG Leu	CTG Leu	CTG Leu	CTG Leu	CTG Leu 40	CTC Leu	GCT Ala	GCC Ala	GCC Ala	TGC Cys 45	GCC Ala	GTC Val	144
TTC Phe	CTC Leu	GCC Ala 50	TGC Cys	CCC Pro	TGG	GCC Ala	GTG Val 55	TCC Ser	GGG Gly	GCT Ala	CGC Arg	GCC Ala 60	TCG Ser	CCC Pro	GGC Gly	192
					AGA Arg											240
					TTG Leu 85											288
					CTG Leu											336
					GGC Gly									Tyr		384
					CTG Leu											432
							Arg								GGC Gly	480
	Val					His					Arg				GGG Gly 175	528

GCC Ala	GCC Ala	GCC Ala	CTG Leu	GCT Ala 180	TTG Leu	ACC Thr	GTG Val	GAC Asp	CTG Leu 185	CCA Pro	CCC Pro	GCC Ala	TCC Ser	Ser 190	GAG Glu	576
GCT Ala	CGG Arg	AAC Asn	TCG Ser 195	GCC Ala	TTC Phe	GGT Gly	TTC Phe	CAG Gln 200	GGC Gly	CGC Arg	TTG Leu	CTG Leu	CAC His 205	CTG Leu	AGT Ser	624
GCC Ala	GGC Gly	CAG Gln 210	CGC Arg	CTG Leu	GGC Gly	GTC Val	CAT His 215	CTT Leu	CAC His	ACT Thr	GAG Glu	GCC Ala 220	AGG Arg	GCA Ala	CGC Arg	672
CAT His	GCC Ala 225	TGG Trp	CAG Gln	CTT Leu	ACC Thr	CAG Gln 230	GGC Gly	GCC Ala	ACA Thr	GTC Val	TTG Leu 235	GGA Gly	CTC Leu	TTC Phe	CGG Arg	720
														GAA Glu		765
AAC	GCCC	AGC (CTGG	GTGC	AG CO	CCAC	CTGG	A CAC	GAGTO	CCGA	ATC	CTAC	rcc .	ATCC:	TTCATG	826
GAG	ACCC	CTG (GTGC	rggg:	rc co	CTGC:	rgct:	TC	CTAC	CCTC	AAG	GGC:	TTG	GCAG	GGTCC	886
CTG	CTGC	rga (CCTC	CCCT	rg ac	GGAC	CTC	TC	ACCC	ACTC	CTT	CCC	AAG	TTGG	ACCTTG	946
ATA	TTTA	TTC '	TGAG	CCTG	AG C	ICAG2	AATA	TA T	ATTA	ATA	TAT	ATAT	TAT	TATA	TATAT	1006
TTC'	TATT	TAA	AGAG	GATC	CT G	AGTT	rgtg	TA A	GGAC	TTTT	TTA	GAGG	AGT	TGTT	TTGGGG	1066
GGG	GGGT	CTT (CGAC.	ATTG	CC G	AGGC'	rggro	C TTC	GAAC:	rcct	GGA	TTAC	GAC	GATC	CTCCTG	1126
CCT	CAGC	CTC (CCAA	GCAA	CT G	GGAT'	CATO	CT	TTCT	ATTA	ATTO	TTAC	GTA	CTTA	TTTGCC	1186
TAT	TTGT	GTG	TATT	GAGC	AT C	IGTA	ATGT	G CC	AGCA:	TGT	GCC	CAGG	CTA	GGGG	GCTATA	1246
GAA	ACAT	CTA (GAAA'	TAGA	CT G	AAAG.	AAAA!	r ct	GAGT:	TATG	GTA	ATAC	GTG	AGGA	ATTTAA	1306
AGA	CTCA'	TCC (CCAG	CCTC	CA C	CTCC'	rgtg:	GA:	TACT:	rggg	GGC'	rage:	TTT	TTTC:	TTTCTT	1366
TCT	TTTT	TTT (GAGA'	TGGT	CT TO	GTTC'	rgtc:	A AC	CAGG	CTAG	AAT	GCAG	CGG	TGCA	ATCATG	1426
AGT	CAAT	GCA (GCCT	CCAG	CC T	CGAC	CTCC	C GA	GGCT	CAGG	TGA:	CCT	ccc	ATCT	CAGCCT	1486
CTC	GAGT	AGC	TGGG.	ACCA	CA G	TTGT	GTGC	CAC	CACA	CTTG	GCT	AACT	TTT	TAAT	rtttt	1546
GCG	GAGA	CGG	TATT	GCTA	rg T'	IGCC.	AAGG:	TG:	ATTT	CATG	CCA	STAC	TAA	TATE	AAATAA	. 1606
CAC	TCAT'	TTT	TCC													1619

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 254 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: 10 man L Met Glu Tyr Ala Ser Asp Ala Ser Leu Asp Pro Glu Ala Pro Trp Pro Pro Ala Pro Arg Ala Arg Ala Cys Arg Val Leu Pro Trp Ala Leu Val Ala Gly Leu Leu Leu Leu Leu Leu Ala Ala Ala Cys Ala Val Phe Leu Ala Cys Pro Trp Ala Val Ser Gly Ala Arg Ala Ser Pro Gly Ser Ala Ala Ser Pro Arg Leu Arg Glu Gly Pro Glu Leu Ser Pro Asp Asp Pro Ala Gly Leu Leu Asp Leu Arg Gln Gly Met Phe Ala Gln Leu Val Ala Gln Asn Val Leu Leu Ile Asp Gly Pro Leu Ser Trp Tyr Ser Asp Pro Gly Leu Ala Gly Val Ser Leu Thr Gly Gly Leu Ser Tyr Lys Glu Asp Thr Lys Glu Leu Val Val Ala Lys Ala Gly Val Tyr Tyr Val Phe Phe Gln Leu Glu Leu Arg Arg Val Val Ala Gly Glu Gly Ser Gly Ser Val Ser Leu Ala Leu His Leu Gln Pro Leu Arg Ser Ala Ala Gly Ala Ala Ala Leu Ala Leu Thr Val Asp Leu Pro Pro Ala Ser Ser Glu Ala Arg Asn Ser Ala Phe Gly Phe Gln Gly Arg Leu Leu His Leu Ser Ala Gly Gln Arg Leu Gly Val His Leu His Thr Glu Ala Arg Ala Arg His 215 Ala Trp Gln Leu Thr Gln Gly Ala Thr Val Leu Gly Leu Phe Arg Val Thr Pro Glu Ile Pro Ala Gly Leu Pro Ser Pro Arg Ser Glu

()

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 768 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (vii) IMMEDIATE SOURCE: (B) CLONE: mu4-1BB (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1..768 (ix) FEATURE: (A) NAME/KEY: mat_peptide (B) LOCATION: 70...768 (ix) FEATURE: (A) NAME/KEY: sig peptide (B) LOCATION: 1..69 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5: ATG GGA AAC AAC TGT TAC AAC GTG GTG GTC ATT GTG CTG CTA GTG 48 Met Gly Asn Asn Cys Tyr Asn Val Val Val Ile Val Leu Leu Val -23 -15 -10 GGC TGT GAG AAG GTG GGA GCC GTG CAG AAC TCC TGT GAT AAC TGT CAG 96 Gly Cys Glu Lys Val Gly Ala Val Gln Asn Ser Cys Asp Asn Cys Gln CCT GGT ACT TTC TGC AGA AAA TAC AAT CCA GTC TGC AAG AGC TGC CCT 144 Pro Gly Thr Phe Cys Arg Lys Tyr Asn Pro Val Cys Lys Ser Cys Pro 10 CCA AGT ACC TTC TCC AGC ATA GGT GGA CAG CCG AAC TGT AAC ATC TGC 192 Pro Ser Thr Phe Ser Ser Ile Gly Gly Gln Pro Asn Cys Asn Ile Cys 30 AGA GTG TGT GCA GGC TAT TTC AGG TTC AAG AAG TTT TGC TCC TCT ACC 240 Arg Val Cys Ala Gly Tyr Phe Arg Phe Lys Lys Phe Cys Ser Ser Thr CAC AAC GCG GAG TGT GAG TGC ATT GAA GGA TTC CAT TGC TTG GGG CCA 288 His Asn Ala Glu Cys Glu Cys Ile Glu Gly Phe His Cys Leu Gly Pro CAG TGC ACC AGA TGT GAA AAG GAC TGC AGG CCT GGC CAG GAG CTA ACG 336 Gln Cys Thr Arg Cys Glu Lys Asp Cys Arg Pro Gly Gln Glu Leu Thr

115

100

384

432

AAG CAG GGT TGC AAA ACC TGT AGC TTG GGA ACA TTT AAT GAC CAG AAC

Lys Gln Gly Cys Lys Thr Cys Ser Leu Gly Thr Phe Asn Asp Gln Asn

GGT ACT GGC GTC TGT CGA CCC TGG ACG AAC TGC TCT CTA GAC GGA AGG

Gly Thr Gly Val Cys Arg Pro Trp Thr Asn Cys Ser Leu Asp Gly Arg

110

TCT Ser	GTG Val	CTT Leu	AAG Lys 125	ACC Thr	GGG Gly	ACC Thr	ACG Thr	GAG Glu 130	AAG Lys	GAC Asp	GTG Val	GTG Val	TGT Cys 135	GGA Gly	CCC Pro	480
CCT Pro	GTG Val	GTG Val 140	AGC Ser	TTC Phe	TCT Ser	CCC Pro	AGT Ser 145	ACC Thr	ACC Thr	ATT Ile	TCT Ser	GTG Val 150	ACT Thr	CCA Pro	GAG Glu	528
GGA Gly	GGA Gly 155	CCA Pro	GGA Gly	GGG Gly	CAC His	TCC Ser 160	TTG Leu	Gln	GTC Val	Leu	ACC Thr 165	TTG Leu	TTC Phe	CTG Leu	GCG Ala	576
CTG Leu 170	ACA Thr	TCG Ser	GCT Ala	TTG Leu	CTG Leu 175	CTG Leu	GCC Ala	CTG Leu	ATC Ile	TTC Phe 180	ATT Ile	ACT Thr	CTC Leu	CTG Leu	TTC Phe 185	624
TCT Ser	GTG Val	CTC Leu	AAA Lys	TGG Trp 190	ATC Ile	AGG Arg	AAA Lys	AAA Lys	TTC Phe 195	CCC Pro	CAC His	ATA Ile	TTC Phe	AAG Lys 200	CAA Gln	672
					ACT Thr											720
					GAA Glu											768

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 256 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Gly Asn Asn Cys Tyr Asn Val Val Ile Val Leu Leu Val -23 -15 -10

Gly Cys Glu Lys Val Gly Ala Val Gln Asn Ser Cys Asp Asn Cys Gln
-5

Pro Gly Thr Phe Cys Arg Lys Tyr Asn Pro Val Cys Lys Ser Cys Pro 10 15 20 25

Pro Ser Thr Phe Ser Ser Ile Gly Gly Gln Pro Asn Cys Asn Ile Cys 30 35 40

Arg Val Cys Ala Gly Tyr Phe Arg Phe Lys Lys Phe Cys Ser Ser Thr 45 50 55

His Asn Ala Glu Cys Glu Cys Ile Glu Gly Phe His Cys Leu Gly Pro 60 65 70

Gln Cys Thr Arg Cys Glu Lys Asp Cys Arg Pro Gly Gln Glu Leu Thr 75 80 85

- Lys Gln Gly Cys Lys Thr Cys Ser Leu Gly Thr Phe Asn Asp Gln Asn 90 95 100 105
- Gly Thr Gly Val Cys Arg Pro Trp Thr Asn Cys Ser Leu Asp Gly Arg 110 115 120
- Ser Val Leu Lys Thr Gly Thr Thr Glu Lys Asp Val Val Cys Gly Pro 125 130 135
- Pro Val Val Ser Phe Ser Pro Ser Thr Thr Ile Ser Val Thr Pro Glu 140 145 150
- Gly Gly Pro Gly Gly His Ser Leu Gln Val Leu Thr Leu Phe Leu Ala 155 160 165
- Leu Thr Ser Ala Leu Leu Leu Ala Leu Ile Phe Ile Thr Leu Leu Phe 170 185 180 185
- Ser Val Leu Lys Trp Ile Arg Lys Lys Phe Pro His Ile Phe Lys Gln
 190 195 __ 200
- Pro Phe Lys Lys Thr Thr Gly Ala Ala Gln Glu Glu Asp Ala Cys Ser 205 210 215
- Cys Arg Cys Pro Gln Glu Glu Glu Gly Gly Gly Gly Tyr Glu Leu 220 225 230
- (2) INFORMATION FOR SEQ ID NO:7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1415 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (vii) IMMEDIATE SOURCE:
 - (B) CLONE: hu4-1BE
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 120..887
 - (ix) FEATURE:
 - (A) NAME/KEY: mat_peptide
 - (B) LOCATION: 189..884
 - (ix) FEATURE:
 - (A) NAME/KEY: sig_peptide
 - (B) LOCATION: 120..188

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

(XI) SEQUENCE SECTION TO A CARTER CATTERIAG ACCAGCIANT 60													C C				
AGTGGAAAGT TCTCCGGCAG CCCTGAGATC TCAAGAGTGA CATTTGTGAG HOSTIGGT																	
TTGATTAAAA TTCTCTTGGA ATCAGCTTTG CTAGTATCAT ACCTGTGCCA GATTTCATC ATG GGA AAC AGC TGT TAC AAC ATA GTA GCC ACT CTG TTG CTG GTC CTC																119	
ATG Met -23	GGA Gly	AAC Asn	AGC Ser -20	TGT Cys	TAC Tyr	AAC Asn	ATA Ile	GTA Val -15	GCC Ala	ACT Thr	CTG Leu	TTG Leu	CTG Leu -10	GTC Val	CTC Leu		167
AAC Asn	TTT Phe	GAG Glu -5	AGG Arg	ACA Thr	AGA Arg	TCA Ser	TTG Leu 1	CAG Gln	GAT Asp	CCT Pro	TGT Cys 5	AGT Ser	AAC Asn	TGC Cys	CCA Pro		215
GCT Ala 10	GGT Gly	ACA Thr	TTC Phe	TGT Cys	GAT Asp 15	AAT Asn	AAC Asn	AGG Arg	AAT Asn	CAG Gln 20	ATT Ile	TGC Cys	AGT Ser	CCC Pro	TGT Cys 25		263
CCT Pro	CCA Pro	AAT Asn	AGT Ser	TTC Phe 30	TCC Ser	AGC Ser	GCA Ala	GGT Gly	GGA Gly 35	CAA Gln	AGG Arg	ACC Thr	TGT Cys	GAC Asp 40	ATA Ile		311
TGC Cys	AGG Arg	CAG Gln	TGT Cys 45	AAA Lys	GGT Gly	GTT Val	TTC Phe	AGG Arg 50	ACC Thr	AGG Arg	AAG Lys	GAG Glu	TGT Cys 55	TCC Ser	TCC Ser		359
ACC Thr	AGC Ser	AAT Asn 60	GCA Ala	GAG Glu	TGT Cys	GAC Asp	TGC Cys 65	ACT Thr	CCA Pro	GGG Gly	TTT Phe	CAC His 70	TGC Cys	CTG Leu	GGG Gly		407
GCA Ala	GGA Gly 75	Cys	AGC Ser	ATG Met	TGT Cys	GAA Glu 80	CAG Gln	GAT Asp	TGT Cys	AAA Lys	CAA Gln 85	GGT Gly	CAA Gln	GAA Glu	CTG Leu		455
ACA Thr 90	Lys	AAA Lys	GGT Gly	TGT Cys	AAA Lys 95	GAC Asp	TGT Cys	TGC Cys	TTT Phe	GGG Gly 100	ACA Thr	TTT Phe	AAC Asn	GAT Asp	CAG Gln 105		503
AAA Lys	CGT Arg	GGC Gly	ATC Ile	TGT Cys 110	Arg	CCC Pro	TGG Trp	ACA Thr	AAC Asn 115	Cys	TCT Ser	TTG Leu	GAT Asp	GGA Gly 120			551
TCT Ser	GTG Val	Leu	Val	Asn	GGG Gly	Thr	Lys	Glu	Arg	Asp	Val	Val	Cys	Gly	CCA		599
TCT Ser	CCA Pro	GCC Ala 140	Asp	CTC Leu	TCT Ser	CCG Pro	GGA Gly 145	Ala	TCC Ser	TCT Ser	GTG Val	ACC Thr 150	Pro	CCT Pro	GCC Ala		647
		Arg					Ser					Ser			CTT		695
	Leu					Leu					Phe				CTC Leu 185		743

CGT Arg	TTC Phe	TCT Ser	GTT Val	GTT Val 190	AAA Lys	CGG Arg	GGC Gly	AGA Arg	AAG Lys 195	AAA Lys	CTC Leu	CTG Leu	TAT Tyr	ATA Ile 200	TTC Phe	791
AAA Lys	CAA Gln	CCA Pro	TTT Phe 205	ATG Met	AGA Arg	CCA Pro	GTA Val	CAA Gln 210	ACT Thr	ACT Thr	CAA Gln	GAG Glu	GAA Glu 215	GAT Asp	GGC Gly	839
	AGC	TGC	CGA	TTT	CCA	GAA	GAA	GAA	GAA	GGA	GGA	TGT	GAA	CTG	TGAAAT	GGAA
894 Cys	Ser	Cys 220	Arg	Phe	Pro	Glu	Glu 225	Glu	Glu	Gly	Gly	Cys 230	Glu	Leu		
GTC	ATAA	GGG (CTGT'	IGGG	AC T	FTCT	TGAAJ	A AG	AAGC	aagg	AAA!	ratg:	AGT	CATC	CGCTAT	954
CAC	AGCT'	rTC 2	AAAA	GCAA	GA AC	CACC	ATCC	r AC	ATAA'	TACC	CAG	GATT	CCC	CCAA	CACACG	1014
TTC	TTTT	CTA .	AATG	CCAA!	IG A	GTTG	GCCT	AT 1	AAAA'	TGCA	CCA	CTTT	TTT	TTTT	TTTTT	1074
GAC.	AGGG'	TCT (CACT	CTGT	CA C	CCAG	GCTG	G AG	TGCA	GTGG	CAC	CACC.	ATG	GCTC	TCTGCA	1134
GCC	TTGA	CCT	CTGG	GAGC'	IC A	AGTG.	ATCC	r cc	TGCC	TCAG	TCT	CCTA	GTA	GCTG	GAACTA	1194
CAA	GGAA	GGG	CCAC	CACA	CC T	GACT.	AACT'	TT.	TTGT	TTTT	TGT	TTGG	TAA	AGAT	GGCATT	1254
TCG	CCAT	GTT	GTAC	AGGC'	TG G	TCTC	AAAC:	T CC	TAGG	TTCA	CTT	TGGC	CTC	CCAA	AGTGCT	1314
GGG	ATTA	CAG	ACAT	GAAC'	TG C	CAGG	CCCG	G CC	AAAA	TAAT	GCA	CCAC	TTT	TAAC.	AGAACA	1374
GAC	AGAT	GAG	GACA	GAGC	TG G	TGAT	AAAA	AA A	AAAA	AAAA	A					1415

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 255 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Gly Asn Ser Cys Tyr Asn Ile Val Ala Thr Leu Leu Val Leu -23 -20 -15 -10

Asn Phe Glu Arg Thr Arg Ser Le. Gln Asp Pro Cys Ser Asn Cys Pro

Ala Gly Thr Phe Cys Asp Asn Asn Arg Asn Gln Ile Cys Ser Pro Cys
10 20 25

Pro Pro Asn Ser Phe Ser Ser Ala Gly Gly Gln Arg Thr Cys Asp Ile 30 35 40

Cys Arg Gln Cys Lys Gly Val Phe Arg Thr Arg Lys Glu Cys Ser Ser 50 55

Thr Ser Asn Ala Glu Cys Asp Cys Thr Pro Gly Phe His Cys Leu Gly 60 65 70

Ala Gly Cys Ser Met Cys Glu Gln Asp Cys Lys Gln Gly Gln Glu Leu 75 80 85

Thr Lys Lys Gly Cys Lys Asp Cys Cys Phe Gly Thr Phe Asn Asp Gln 90 95 100 105

Lys Arg Gly Ile Cys Arg Pro Trp Thr Asn Cys Ser Leu Asp Gly Lys 110 115 120

Ser Val Leu Val Asn Gly Thr Lys Glu Arg Asp Val Val Cys Gly Pro 125 130 135

Ser Pro Ala Asp Leu Ser Pro Gly Ala Ser Ser Val Thr Pro Pro Ala 140 145 150

Pro Ala Arg Glu Pro Gly His Ser Pro Gln Ile Ile Ser Phe Phe Leu 155 160 165

Ala Leu Thr Ser Thr Ala Leu Leu Phe Leu Leu Phe Phe Leu Thr Leu 170 185

Arg Phe Ser Val Val Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe 190 195 200

Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly 205 210 215

Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu 220 225 230

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 33 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GTCACTAGTT CTGTGCAGAA CTCCTGTGAT AAC 33

- (2) INFORMATION FOR SEQ ID NO:10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

CACAAGATCT GGGCTCCTCT GGAGTCACAG AAATG
35

1 ,

- (2) INFORMATION FOR SEQ ID NO:11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 31 base pairs
 - (B) TYPE: nucleic acid

(D) TOPOLOGY: linear

- (C) STRANDEDNESS: single

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

CAGACTAGTT CACTCTGGAG TCACAGAAAT G

- (2) INFORMATION FOR SEQ ID NO:12:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 34 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

ATAGCGGCCG CTGCCAGATT TCATCATGGG AAAC 34

- (2) INFORMATION FOR SEQ ID NO:13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 40 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

ACAAGATCTG GGCTCCTGCG GAGAGTGTCC TGGCTCTCTC 40

(C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA to mRNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (vii) IMMEDIATE SOURCE: (B) CLONE: hIgG1Fc (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 2..739 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: G GTA CCG CTA GCG TCG ACA GGC CTA GGA TAT CGA TAC GTA GAG CCC 46 Val Pro Leu Ala Ser Thr Gly Leu Gly Tyr Arg Tyr Val Glu Pro 10 AGA TCT TGT GAC AAA ACT CAC ACA TGC CCA CCG TGC CCA GCA CCT GAA 94 Arg Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu CTC CTG GGG GGA CCG TCA GTC TTC CTC TTC CCC CCA AAA CCC AAG GAC 142 Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Aso 35 40 ACC CTC ATG ATC TCC CGG ACC CCT GAG GTC ACA TGC GTG GTG GAC 190 Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp GTG AGC CAC GAA GAC CCT GAG GTC AAG TTC AAC TGG TAC GTG GAC GGC 238 Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly GTG GAG GTG CAT AAT GCC AAG ACA AAG CCG CGG GAG GAG CAG TAC AAC 286 Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn AGC ACG TAC CGG GTG GTC AGC GTC CTC ACC GTC CTG CAC CAG GAC TGG 334 Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp 100 CTG AAT GGC AAG GAC TAC AAG TGC AAG GTC TCC AAC AAA GCC CTC CCA 382 Leu Asn Gly Lys Asp Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro 115 120 GCC CCC ATG CAG AAA ACC ATC TCC AAA GCC AAA GGG CAG CCC CGA GAA 430 Ala Pro Met Gln Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu 130 135

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 745 base pairs(B) TYPE: nucleic acid

			CTG Leu							478
			TGC Cys 165							526
			AGC Ser							574
 			GAC Asp							622
 			AGC Ser							670
			GCT Ala							718
 	TCT Ser	 	AAA Lys 245	TGA	ACTAC	FT				745

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 245 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Val Pro Leu Ala Ser Thr Gly Leu Gly Tyr Arg Tyr Val Glu Pro Arg 1 5 10 15

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu 20 25 30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr 35 40 45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val 50 55 60

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val 65 70 75 80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser 85 90 95 Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
100 105 110

Asn Gly Lys Asp Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala 115 120 125

Pro Met Gln Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro 130 135 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln 145 150 155 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Arg His Ile Ala 165 : 170 : 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr 180 185 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu 195 200 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser 210 215 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser 225 230 235 240

Leu Ser Pro Gly Lys